

Aseel Äbü-Jäbär

1-Appear in Urine test of pheochromocytoma patient .... Homovillimic acid  
2\_Antagonist for High dose of pilocarpine ....atropine  
3\_Most medial thing ...uncus  
4\_Modality of test go to (SVA) ...nuclus of tractus solitaires  
5\_Damage where will cause loss of test sensation in anterior two third of tounge ...tympanic cavity

6\_Tympanic nervemodalities ...GVA,GVE  
7\_Nerve pass from foramen magnume ...accessory nerve  
8\_Cell found around test bud ... Dark cell \*  
9\_Found in medial wall of middle ear ...tympanic plexus

10\_Cerebral aqueduct from ...mesensphalon  
11\_conscious perception of odor ...orbitofrontal cortex  
12\_Stimulation of what cause rage ...amygdala  
13\_Tract responsible for Cognition and executive function in normal ....dorsolateral mesocortical pathway  
14\_Parkinson gait....shuffling gait  
15\_Nerve carry postganglionic fiber....zygomatic nerve

16\_Damage of what cause Loss of lift visual field ...right optic tract  
17\_Nerve carry preganglionic sympathetic fiber ...lesser splanchnic nerve  
18\_G-/pleomorphic bacteria in smear ... N.meningities

19\_Eradication of which animale prevent eastren equine encaphalities ....horse  
20\_Root of enter of Clostridium tatani ...skin  
21\_C .butlinum toxin ....endogenously produce  
22\_Prevent sign of hypoglicemia appear.... Beta antagonist  
23\_Which organism cause meningities not interested in public community study ...mumps  
24\_Root of poilo infection ....fecal-oral , oral oral ,direct secretion  
25\_above body of cudate nuclus ...corpuscallosum  
26\_Most deep in neck ...sympathetic traunk  
27\_Affected by injury in digastice tringale ...facial artery  
28\_Stimulate prephiral neociptive resaptor in inflammation ....cellular edema \*  
29\_preception of written word only in which area ....Dejener area  
30\_information come from medial side of opposite eye go to ... Layer 2/4/6  
31\_scarpie disease in sheep in human called ....Variant CJD  
32\_sign see when take prezosin but not appear when take propranolol ...mydriasis  
33\_what cause hydrocephalus after subaracenoide hemorrhage ....fibrosis  
34\_not true about retinene 1 ...  
35\_cell body of seconde order neuron that sense temp from thorax find in ...substantia gelactenosa  
36\_case for patient has prion infection and what the true. ..prion has a long inecubation period  
37\_B.burgdorferi carry in .... See More

37\_B.burgdorferi carry in ...ixodes tick  
38\_magnocellular pathway carries signals for ....depth, and flicker  
39\_patient came to emergency with fever ,neck stiffness ...and the diagnosis maningitis ,test appear high protein and reduce in glucose in csf ...bacterial meningities  
40\_associated with corneal reflex. ...long ciliary nerve  
41\_when light direct to lift eye the pupil of right is contract but lift not where problem ...left oculomotor nerve  
42\_patient come to clinic and doctor note over growth in gum which drug responsible ...phenytion  
43\_give after high dose of morphine ..naloxone  
44\_after general aneshtisis for patient give compitive antagoniste for neuromascular receptore which drug reveal the action ...neostiamine  
45\_for smoking cassation ....bupropion  
46\_satellate cell found mostly in which layer ...2  
47\_dose not occur in autonomic dysreflxia ...decrease blood pressure  
48\_sample use for cocazaxi virus ...CSF ,thoart,Blood,stool  
50\_risk factor of antipsychotic druge can cause death ....neuroleptic malignant syndrome  
51\_when remove the somatosensory area 1 , all happen except .... Loss jadmgt of tampreture and pain sense \*  
52\_unilateral lesion in auditory area ,all happen except ...  
53\_true about myasthenia gravis ...double vision common \*  
54\_in familla tumer in CNS and PNS !  
...loss hemartin function  
55\_mostly associated with allergy reaction ...procaine

56\_block of what affect speech articulation ....I guess (middle cerebral artery )  
57\_Isolated seizures that are not epilepsy can be caused by all except ...eclampsia  
58\_responsiveness is increased, so that noxious stimuli produce an exaggerated and prolonged pain...hyperalgesia  
59\_MAC of drug A 100% and for drug B MAC 2% what true ....  
60\_deepest muscle ...angularis lavetor m  
61\_which druge will block lateral to palmaris muscle tendon ....median n\*  
62\_to make sole anesthesia from where ...posterior to mediale malleolus  
63\_most latalar ....clustrum  
64\_C5 dermatome for sensation in ...lateral arm